




Qualité des eaux

Station : JOUY

Code : 03189000

Cours d'eau : L'Eure

Date prél.	Heure	Débit m3/s	T°eau °C	pH	Cond.25° µS/cm	O2 dis. mg/l	Sat. O2 %	MES mg/l	DBO5 mg/l	DCO mg/l	COD mg/l	N Kj mg/l	NH4+ mg/l	NO2- mg/l	NO3- mg/l	PO4--- mg/l	P Total mg/l	Chloro. a µg/l	Phéopig. µg/l
15/12/2008	10:45		6.0	7.3	517	11.2	92	10	0.8	9.1	2.7	0.7	0.41	0.23	29	0.289	0.11		
17/11/2008	12:35		11.2	7.7	582	10.3	93	1.3	< .5	7.8	2.9	< .5	0.1	0.16	27.8	0.439	0.14		
20/10/2008	11:15		10.8	7.6	642	9.6	88	1.5	< .5	7.1	2.0	< .5	0.07	0.2	33.3	0.277	0.09	< 1	1
15/09/2008	16:15		15.6	7.8	574	11.3	114	4.2	1.2	< 5	2.3	< .5	0.06	0.1	32	0.266	0.1	1	1
18/08/2008	09:35		16.6	7.4	594	8.6	90	2.4	< .5	6.4	2.0	< .5	0.09	0.1	30.8	0.295	0.11	1	1
28/07/2008	12:50		19.4	7.9	630	9.1	98	2	< .5	< 5	2.4	< .5	< .05	0.14	33	0.361	0.12	< 1	1
13/02/2008	11:10		5.9	7.8	487	12.4	99	16	2	7	6.3	0.8	0.1	0.14	31.6	0.24	0.12		
21/01/2008	11:10		9.2	8.5	390	10.5	91	33	3.2	5	7.5	1.3	0.11	0.16	36.7	0.26	0.12		



Qualité des eaux

Station : JOUY

Code : 03189000

Cours d'eau : EURE

Date prél.	Heure	Débit m3/s	T°eau °C	pH	Cond.25° µS/cm	O2 dis. mg/l	Sat. O2 %	MES mg/l	DBO5 mg/l	DCO mg/l	COD mg/l	N Kj mg/l	NH4+ mg/l	NO2- mg/l	NO3- mg/l	PO4--- mg/l	P Total mg/l	Chloro. a µg/l	Phéopig. µg/l
12/12/2007	11:50		5.0	7.9	346	11.8	92	120	3.4	< 5	5.9	1.8	0.14	0.17	31.8	0.45	0.44		
26/11/2007	11:40		7.9	7.5	548	10.0	85	10	1.9	14	5.7	1.1	0.35	0.29	43	0.11	0.13		
08/10/2007	11:20		14.0	7.8	650	9.4	92	1	0.9	8	2.8	0.5	0.05	0.23	30.9	0.34	0.12	1.5	< 1.5
12/09/2007	11:15		15.7	7.8	618	9.5	94	2	0.6	29	2.9	0.5	0.04	0.11	33.1	0.03	0.12	< 1.5	1.6
14/08/2007	11:15		16.5	8.1	593	8.7	90	2	2.4	10	3.6	0.7	0.03	0.09	30.6	0.35	0.12	2.1	< 1.5
09/07/2007	11:25		15.7	7.8	566	9.2	93	2	2.8	< 5	3.6	1.2	0.06	0.16	27.7	0.32	0.11	2.1	2.6
11/06/2007	11:00		18.4	7.8	614	8.3	89	7	2.3	< 5	3.4	0.7	0.11	0.27	30.9	0.45	0.16	2.1	3.8
07/05/2007	10:50		15.0	7.7	609	8.9	84	29	3.4	< 5	3.2	1.1	0.18	0.23	33.2	0.42	0.15	18.7	10.9
17/04/2007	10:15		15.3	7.9	580	9.5	95	16	5.9	28	3.0	0.9	0.04	0.19	27.5	0.21	0.08	29.6	18.9
20/03/2007	10:35		8.2	7.7	576	10.6	91	12	2	13	3.9	1.1	0.35	0.25	31.8	0.27	0.11	4.7	3.9
20/02/2007	10:20		8.5	7.8	471	10.8	95	14	1.8	22	6.6	0.7	0.14	0.16	32.4	0.27	0.13		
15/01/2007	15:10		8.7	7.8	514	11.0	95	8	2.1	11	5.1	0.8	0.24	0.3	38.6	0.37	0.15		
04/12/2006	13:40		10.5	7.7	535	9.6	89	6	3		4.9	0.7	0.2	0.28	27.7	0.36	0.14		
06/11/2006	12:20		9.1	7.7	589	10.5	91	1	2.5		1.8	0.8	0.06	0.17	34.6	0.3	0.1		
02/10/2006	14:00		15.2	7.7	625	9.5	96	1	1.6		2.0	0.4	0.05	0.14	34.9	0.29	0.1	< 1.5	1.9
05/09/2006	13:00		17.8	7.8	604	9.1	100	1	1.5		4.0	0.6	0.07	0.14	33.6	0.34	0.12	2.4	2.5
02/08/2006	14:15		18.7	7.8	541	9.6	101	2	1.9		3.2	0.5	0.04	0.13	27.9	0.39	0.14	2	1.7
06/07/2006	13:45		19.3	7.6	455	8.1	87	8	1.1		3.2	0.7	0.13	0.28	22.1	0.38	0.14	< 1.5	5.8
07/06/2006	14:40		16.8	7.8	627	10.6	110	6	1.4		3.8	0.5	0.12	0.22	32.2	0.38	0.14	2	6.5
02/05/2006	11:50		12.3	7.9	617	10.5	99	5	1.6		3.5	0.5	0.09	0.16	32.7	0.22	0.08	7.2	4.5
04/04/2006	15:50		14.5	7.9	416	10.7	101	22	< .5		5.5	1	0.05	0.14	34.7	0.22	0.12	9.6	6.2
06/03/2006	13:15		6.3	7.9	543	11.3	92	17	< .5		4.0	0.6	0.32	0.27	41.1	0.25	0.11	4.3	3.1
07/02/2006	12:00		7.0	8.0	640	14.5	94	2	1.2		3.8	1.7	0.2	0.21	38.9	0.27	0.1		
05/01/2006	11:45		1.0	7.8	525	11.9	89	7	0.8		2.9	1	0.08	0.32	28.8	0.36	0.14		



Qualité des eaux

Station : JOUY

Code : 03189000

Cours d'eau : EURE

Date prél.	Heure	Débit m3/s	T°eau °C	pH	Cond.25° µS/cm	O2 dis. mg/l	Sat. O2 %	MES mg/l	DBO5 mg/l	DCO mg/l	COD mg/l	N Kj mg/l	NH4+ mg/l	NO2- mg/l	NO3- mg/l	PO4--- mg/l	P Total mg/l	Chloro. a µg/l	Phéopig. µg/l
07/12/2005	15:05		8.1	7.8	522	10.4	88	7	0.7		4.9	0.9	0.05	0.4	28.5	0.39	0.14		
07/11/2005	13:30		12.2	7.8	586	9.1	85	2	< .5		2.3	0.6	< .01	0.16	32.2	0.33	0.12		
04/10/2005	11:45		12.8	7.8	608	11.1	104	1	< .5		1.7	0.5	0.07	0.29	36.1	0.32	0.11	< 1.5	< 1.5
07/09/2005	13:30		17.8	7.8	630	9.5	102	2	1.8		2.1	1	0.13	0.33	32.6	0.29	0.1	< 1.5	1.7
02/08/2005	11:20		16.3	7.8	590	9.2	94	3	1.1		2.0	0.8	0.18	0.17	33.5	0.2	0.09	2.9	1.7
04/07/2005	13:20		18.3	7.4	592	8.5	91	45	3.2		2.6	1.2	0.18	0.35	28.6	0.26	0.23	10	11.2
31/05/2005	15:30		15.8	7.8	543	11.0	109	7	3.5		3.3	0.8	0.32	0.42	28.8	0.29	0.14	4.5	4.2
03/05/2005	13:50		16.5	7.7	635	8.7	90	9	0.6		2.6	0.9	0.46	0.54	30.8	0.25	0.12	3.3	4.7
05/04/2005	14:10		13.0	7.6	462	10.5	98	22	3.8		3.7	1	0.32	0.32	24.1	0.21	0.08	27.2	11.4
09/03/2005	13:15		7.5	8.0	663	12.1	99	6	0.6		2.6	0.8	0.53	0.3	40.8	0.12	< .07	34	6
03/02/2005	11:20		6.0	7.8	557	12.1	100	12	1.3		2.6	0.8	0.27	0.21	39.7	0.18	0.11		
06/01/2005	14:00		8.7	7.8	593	9.8	99	9	2.3		3.1	2.9	0.4	0.37	40.4	0.2	0.13		
14/12/2004	10:50		5.9	7.7	762	11.6	92	< 2	2.2	< 10	2.0	0.5	0.42	0.24	39	0.23	0.12		
16/11/2004	10:20		9.1	7.4	627	10.5	91	2	1.7	< 10	2.2	< .5	0.22	0.3	35	0.26	0.11		
19/10/2004	12:30		11.3	7.4	601	9.5	88	4	1.6	< 10	2.4	< .5	0.08	0.17	35	0.32	0.15	< 2	< 2
16/09/2004	11:30		14.0	7.5	636	10.3	99	< 2	1.4	13	3.0	< .5	0.23	0.38	37	0.23	0.08	2	< 2
17/08/2004	14:00		17.8	7.5	544	8.9	95	< 2	< 1	12	2.5	< .5	0.07	0.23	30	0.32	0.14	3	2
19/07/2004	13:00		17.6	7.7	594	10.3	108	< 2	1.4	< 10	2.7	< .5	< .05	0.24	32	0.29	0.14	4	2
08/06/2004	15:00		18.9	7.8	647	12.0	128	5	1.4	< 10	2.3	< .5	0.15	0.3	35	0.32	0.19	3	2
12/05/2004	10:30		12.6	7.5	587	9.0	84	7	1.9	12	2.6	0.5	0.19	0.27	33	0.29	0.14	5	4
21/04/2004	12:45		12.3	7.7	597	10.5	99	5	2	< 10	2.7	0.5	0.23	0.27	34	0.28	0.14	9	4
16/03/2004	12:50		11.0	7.8	605	10.4	93	2	2.1	< 10	2.3	< .5	0.28	0.23	37	0.21	0.13	9	3
17/02/2004	10:25		7.7	7.8	614	11.2	93	5	3.5	< 10	2.5	0.7	0.37	0.18	41	0.21	0.15		
20/01/2004	10:30		6.7	7.7	417	11.6	95	21	1.8	12	5.5	0.8	0.11	0.08	40	0.23	0.2		


Qualité des eaux


Station : JOUY


Code : 03189000


Cours d'eau : EURE


Date prél.	Heure	Débit m3/s	T°eau °C	pH	Cond.25° µS/cm	O2 dis. mg/l	Sat. O2 %	MES mg/l	DBO5 mg/l	DCO mg/l	COD mg/l	N Kj mg/l	NH4+ mg/l	NO2- mg/l	NO3- mg/l	PO4--- mg/l	P Total mg/l	Chloro. a µg/l	Phéopig. µg/l
29/10/2003	12:45	3,850	8,5	7,7	628	10,7	93	< 2	1,7		2,1	< .5	0,21	0,24	38	0,27	0,13		
26/08/2003	13:00	2,950	18,0	7,8	632	10,2	108	2	1		1,8	< .5	< .05	0,15	38	0,36	0,16	4	< 2
23/07/2003	12:15	2,950	17,6	7,8	631	11,6	121	< 2	1,1		2,7	< .5	< .05	0,16	37	0,37	0,16	4	2
25/06/2003	16:00	3,350	19,7	7,8	638	10,5	114	6	2,7		2,7	0,5	< .05	0,25	35	0,49	0,27	5	3
23/04/2003	13:25	4,900	13,3	7,8	618	11,4	109	5	2,9		2,6	0,5	0,22	0,25	37	0,28	0,17	14	6
25/03/2003	13:30	5,400	11,8	7,8	612	12,5	115	2	1,8		2,6	0,5	0,12	0,27	38	0,11	0,1		
22/10/2002	12:00	5,100	12,4	7,7	506	9,2	88	8	2,2	< 30		0,5	0,21	0,22	30	0,29	0,16		
28/08/2002	12:40	4,800	15,3	7,6	512	8,7	87	14	3,4	< 30		1,1	0,47	0,32	31	0,35	0,2	8	3
23/07/2002	12:40	2,200	16,8	7,7	626	8,9	91	4	1	< 30		0,5	0,11	0,17	38	0,2	0,12	5	4
26/06/2002	15:50	2,600	17,7	7,8	622	10,2	106	5	1,3	< 30		< .5	0,07	0,15	39	0,37	0,18	3	2
25/04/2002	10:15	3,500	13,5	7,9	630	10,0	95	2	1,7	< 30		< .5	0,06	0,16	39	0,09	0,07	12	6
27/03/2002	12:35	7,200	10,7	8,0	485	11,3	101	7	1,7	< 30		0,7	< .05	0,06	34	0,17	0,12		
04/10/2001	12:10	5,543	14,3	7,6	585	9,3	91	8	2	< 30		< .5	0,08	0,13	35	0,36	0,18		
08/08/2001	14:10	4,649	17,1	7,7	485	9,8	102	10	2	< 30		< .5	0,07	0,1	28	0,33	0,16	7	3
11/07/2001	12:10	2,579	16,8	7,6	602	9,1	94	4	1,4	< 30		< .5	0,06	0,13	38	0,33	0,16	4	2
13/06/2001	12:50	3,625	15,6	7,7	623	10,2	103	3	1,9	< 30		< .5	0,06	0,16	40	0,29	0,14	4	3
17/04/2001	11:30	7,789	10,8	7,7	507	10,7	96	2	1,7	< 30		0,5	< .05	0,07	33	0,12	0,08	9	5
20/03/2001	10:50	11,247	8,6	7,6	428	10,9	95	12	2,2	< 30		0,8	0,1	0,12	30	0,18	0,15		
02/10/2000	13:30	2,540	14,0	8,2	610	9,8	96	5	2,1	< 30		0,5	0,41	0,47	35	0,41	0,2	7	< 2
07/08/2000	14:00	2,294	17,3	8,1	550	10,0	103	3	2,1	< 30		0,6	0,05	0,1	32	0,27	0,14	5	3
10/07/2000	14:00	4,538	15,6	7,9	400	9,0	92	13	2,3	< 20		0,6	0,21	0,19	20	0,4	0,2	5	2
13/06/2000	13:35	3,432	16,1	8,0	575	9,6	96	7	2,1	< 20		0,8	0,16	0,21	31	0,3	0,18	5	2
15/05/2000	14:20	2,817	18,4	7,9	460	8,7	92	5	2,1	< 20		1	0,09	0,17	22	0,29	0,2	5	3
20/03/2000	11:30	3,311	9,5	8,2	590	12,7	110	3	2,4	< 20		< .5	0,06	0,11	35	0,11	0,08		


















Qualité calculée sur 90 % des prélèvements
L'incertitude analytique sur les prélèvements a été prise en compte



Très bon
 Bon
 Passable
 Mauvais
 Très mauvais

Altération, fonction ou usage non qualifié