



Rivière :

CHER

Station :

04070900
AZAY-SUR-CHER

Commune :

AZAY-SUR-CHER (37015)

Localisation :

Pont de la RD80



Coordonnées géographiques

	X (m)	Y (m)
Lambert II :	487 754	2 262 411
Lambert 93 :	537 768	6 696 820
Altitude (m) :	47	



Date prél.	Heure	Débit m3/s	T°eau °C	pH	Cond.25° µS/cm	O2 dis. mg/l	Sat. O2 %	MES mg/l	DBO5 mg/l	DCO mg/l	COD mg/l	N Kj mg/l	NH4+ mg/l	NO2- mg/l	NO3- mg/l	PO4--- mg/l	P Total mg/l	Chloro. a µg/l	Phéopig. µg/l
13/11/2007	10:15		7.3	8.0	494	12.6	106	2	2.2		4.6	< 1	0.06	0.03	22	< .15	< .15	6.6	2.8
09/10/2007	10:30		16.5	7.8	384	8.7	88	7	1.5	16		2	0.14	0.07	18	< .15	< .15	< 1	6.4
11/09/2007	09:10		18.2	8.0	430	9.6	102	5	< 1	12		< 1	0.11	0.04	21	0.17	< .15	< 1	2.8
07/08/2007	09:55		22.8	8.1	395	8.1	95	< 2	1.4	16		1.7	0.08	0.14	16	< .15	< .15	< 1	1.6
10/07/2007	10:10		19.8	8.2	399	9.0	98	7	1.2	16		1.1	0.1	0.03	17	0.18	< .15	< 1	1.9
05/06/2007	10:00		19.7	7.9	369	8.9	98	12	1.1	12		2.2	0.16	0.06	19	0.21	< .15	1.1	2.2
10/05/2007	10:20		17.3	7.9	465	12.6	132	4	1.5	11		2	0.07	0.08	20	< .15	< .15	4.9	3.2
13/03/2007	09:50		9.8	7.8	387	12.4	110	28	6.9	22		1.7	0.07	0.03	24	0.21	< .15	2.1	7.4
16/01/2007	09:30		9.1	8.0	417	8.4	73	27	1.2	< 20		1.4	0.15	0.07	26	0.17	< .15	2.4	5
14/11/2006	10:19		11.3	8.4		10.3	95	8	1.4	< 20		< 1	< .05	0.06	28	< .15	< .15	< 1	8.8
10/10/2006	10:10		14.4	7.8		9.6	95	22	1.9	21		3.4	0.21	0.13	33	0.22	< .15	4	9.3
05/09/2006	10:05		21.5	7.6		9.0	103	4	1.3	< 20		1.4	0.09	0.07	8	0.17	< .15	4.3	3.1
08/08/2006	09:50		22.9	7.7		8.2	95	3	1.6	< 20		< 1	< .05	0.07	9	< .15	< .15	3.6	2.1
04/07/2006	09:20		26.2	7.7		5.8	72	7	1.7	< 20		2	0.15	0.11	14	< .15	< .15	< 1	4
07/06/2006	09:35		20.2	8.0		9.6	105	5	1.9	< 20		1.7	0.08	0.06	22	< .15	< .15	< 1	2
10/05/2006	09:40		16.1	7.5		9.8	100	7	1.5	< 20		2	0.1	0.07	27	< .15	< .15	3.2	5.6
14/03/2006	09:45		5.7	7.5		11.8	94	36	3.2	< 20		1.4	0.18	0.09	26	0.25	< .15	5.5	3.9
17/01/2006	10:05		5.2	7.5		7.9	63	22	2.6	< 20		< 1	0.13	0.11	28	< .15	< .15	8.8	8.2

Date prél.	Heure	Débit m3/s	T°eau °C	pH	Cond.25° µS/cm	O2 dis. mg/l	Sat. O2 %	MES mg/l	DBO5 mg/l	DCO mg/l	COD mg/l	N Kj mg/l	NH4+ mg/l	NO2- mg/l	NO3- mg/l	PO4--- mg/l	P Total mg/l	Chloro. a µg/l	Phéopig. µg/l
15/11/2005	09:40		9.2	7.5		10.3	90	8	3.3	< 20		1.4	0.18	0.07	14	< .15	< .15	4.5	4.3
11/10/2005	10:15		16.5	7.8		10.5	108	3	1.8	< 20		1.1	0.06	0.05	10	< .15	< .15	< 1	2.8
06/09/2005	09:05		22.0	7.5		7.6	88	5	2.2	< 20		1.1	0.11	0.04	6	< .15	< .15		
09/08/2005	10:00		22.3	7.8		9.9	110	5	1.2	< 20		< 1	0.09	0.06	10	< .15	< .15	2	2.1
05/07/2005	09:30		22.7	7.7		8.7	101	2	< 1	< 20		1.1	0.1	0.22	13	< .15	< .15	2.5	2.2
07/06/2005	10:15		19.3	7.7		9.0	95	3	1.9	< 20		< 1	< .05	0.07	19	< .15	< .15	< 1	1.7
10/05/2005	10:30		15.2	7.4		9.5	95	9	3.3	< 20		< 1	0.09	0.06	20	0.17	< .15	1.2	3.6
15/03/2005	09:40		6.2	7.6		11.8	96	21	1.2	< 20		< 1	0.07	0.1	23	< .15	< .15	6.8	1.9
18/01/2005	10:00		6.5	7.6		12.0	100	16	2.4	< 20		< 1	0.14	0.09	25	0.2	< .15	2	4
17/11/2004	11:30		8.7	7.2		11.8	101	3	3.4	24		1.7	0.12	0.03	24	< .15	< .15	1.3	3
05/10/2004	10:10		17.6	7.3		8.2	87	4	2	< 20		< 1	0.11	0.08	22	< .15	< .15	3.1	6.6
07/09/2004	09:10		22.3	7.6		8.0	92	21	3.6	< 20		1.1	0.11	0.08	21	0.17	< .15	2	7.2
10/08/2004	08:35		24.2	7.3		7.6	92	14	3.9	34		1.1	0.11	0.14	12	< .15	< .15	67	28
06/07/2004	08:50		22.0	7.5		8.7	99	4	1.7	< 20		< 1	0.09	0.05	22	0.16	< .15	< 1	< 1
08/06/2004	09:10		22.3	7.7		9.0	103	11	3.5	< 20		1.1	0.06	0.08	24	< .15	< .15	21	16
04/05/2004	09:30		14.2	7.2		9.6	96	60	2.5	37		1.7	0.17	0.09	11	0.2	< .15	8.9	10
16/03/2004	08:45		9.0	7.4		11.9	102	57	3.4	< 20		< 1	0.17	0.11	21	0.22	< .15	7.6	11
13/01/2004	08:55		10.1	7.5		11.1	101	195	4.2	38		2	0.3	0.34	25	0.61	0.36	16	6
18/11/2003	09:25		9.0	8.0		11.7	100	20	6	< 20		< 1	0.05	0.09	21	< .15	< .15	58	22
07/10/2003	09:05		14.2	7.7		9.7	95	19	1.7	< 20		< 1	< .05	0.06	11	< .15	< .15	8.5	8.7
09/09/2003	09:35		17.7	7.5		8.6	92	15	3.4	< 20		1.4	0.09	0.06	7	< .15	< .15	28	13
05/08/2003	09:15		27.0	7.3		9.0	113	8	2	< 20		< 1	0.1	0.11	10	< .15	< .15	13	9.1
09/07/2003	09:20		23.6	8.2		11.1	131	33		30		1.1	0.09	0.07	13	< .15	< .15	161	43
03/06/2003	09:40		23.2	7.7		8.1	96	34	4.8	< 20		< 1	0.06	0.09	17	< .15	< .15	45	25
14/05/2003	09:00		15.1	7.8		8.5	84	20	3	< 20		1.1	0.13	0.08	19	< .15	< .15	43	12
11/03/2003	09:00		10.9	7.4		8.8	80	27	2.9	45		< 1	< .05	0.06	23	< .15	< .15	9.3	7.6
14/01/2003	09:55		2.4	7.7				22	5.7	< 20		1.7	0.13	0.06	33	0.22	< .15	2.1	1.8


Qualité des eaux


Station : AZAY-SUR-CHER


Code : 04070900


Cours d'eau : CHER


Date prél.	Heure	Débit m3/s	T°eau °C	pH	Cond.25° µS/cm	O2 dis. mg/l	Sat. O2 %	MES mg/l	DBO5 mg/l	DCO mg/l	COD mg/l	N Kj mg/l	NH4+ mg/l	NO2- mg/l	NO3- mg/l	PO4--- mg/l	P Total mg/l	Chloro. a µg/l	Phéopig. µg/l
19/11/2002	10:30		9,7	7,4	400			45	1,7	< 30		2	0,12	0,08	25	0,24	< .15	2,5	7
08/10/2002	10:50		13,7	7,8	415			5	2,6	< 20		1,1	< .05	0,05	17	< .15	< .15	< 1	1,7
10/09/2002	09:45		18,5	7,7	362	8,5	91	8	< 1	< 20		1,1	0,07	0,07	14	0,33	< .15	< 1	1,7
06/08/2002	10:30		22,0	7,6	384	7,7	88	11	2	< 20		1,1	0,13	0,07	12	0,23	< .15	< 1	2,5
09/07/2002	12:05		21,5	7,7	417	7,6	87	10	1,9	< 20		2	0,15	0,05	19	0,22	< .15	2,1	< 1
12/06/2002	11:30		18,2	7,1	343	8,7	93	14	2,3	24		1,7	0,2	0,18	18	0,38	0,15	1,6	3,8
14/05/2002	10:10		16,3	7,5	363	8,1	83	10	2,1	25		< 1	0,1	0,13	20	< .15	< .15	9,1	17
12/03/2002	09:30		10,0	7,8	416	10,5	94	21	2	< 20		1,4	0,07	0,09	28	0,15	< .15	4	6
17/01/2002	10:35		6,1	7,7	387	12,3	99	15	2,4	< 20		1,4	0,16	0,12	28	< .15	< .15	4	3
13/11/2001	10:15		8,1	7,6	425	11,7	100	10	2	< 20		1,4	0,14	0,06	27	0,2	< .15	0,9	3,8
09/10/2001	10:00		16,5	7,8	402	8,8	91	5	2	< 20		2	0,06	0,07	23	0,19	< .15	1,2	1,8
11/09/2001	09:45		17,1	7,4	420	8,2	85	29	3	20		1,1	0,13	0,07	20	< .15	< .15	21,4	19,8
07/08/2001	09:50		21,3	8,1	359	7,9	90	32	5	29		2	0,07	0,08	22	< .15	< .15	72,4	34,3
11/07/2001	09:40		20,4	7,4	331	8,5	94	8	3	27		1,7	0,13	0,1	16	0,23	0,15	8,5	9
12/06/2001	10:20		19,0	8,1	439	11,0	118	18	5	20		2	0,02	0,07	29	< .15	< .15	42,8	13,2
15/05/2001	10:00		16,6	7,7	367	9,0	93	38	3	28		1,7	0,06	0,06	20	0,15	< .15	7,5	4
13/03/2001	09:40		11,0	7,7	298	10,5	97	84	4	35		1,4	0,1	0,14	15	0,31	0,19	7,2	8,1
16/01/2001	10:10		5,2	7,6	391	12,3	98	16	3	20		0,6	0,12	0,09	29	0,24	< .2	2,2	2,6
14/11/2000	09:45	96,000	9,6	8,9		10,5	91	57	2	29		1,4	0,15	0,12	23	0,61	0,25		
03/10/2000	09:30		15,1	8,0		8,1		12	2	< 20		1,4	0,17	0,06	18	< .05	< .2	2,6	6,8
05/09/2000	09:20	32,000	18,6	7,5		8,2	87	32	3	< 20		0,6	0,1	0,11	17	0,06	< .2	27	17
08/08/2000	09:30	38,000	22,0	7,8		8,3	94	11	2	< 20		1,1	0,12	0,06	23	0,12	< .2	13	15
04/07/2000	10:15	19,000	23,2	8,1		7,1	84	13	< 1	< 20		1,7	0,15	0,05	23	0,28	< .2	2,1	3,5
06/06/2000	10:15	43,000	19,4	8,2		9,6	104	25	6	26		2,2	0,14	0,08	23	0,15	< .2	71	58
10/05/2000	10:45	103,000	19,5	7,7		9,2	100	29	2	30		0,8	0,04	0,06	21	0,27	< .2	23,5	13,1
14/03/2000	10:00	108,000	11,0	7,6		10,9	98	20	3	< 20		1,7	0,01	0,05	26	0,15	< .2	11,3	5,9
11/01/2000	09:25	204,000	6,3	7,6		11,8	94	38	2	26		1,1	0,09	0,07	30	0,31	0,21		

















Seq-Eau 32 bits version 1.13.08 - 03/06/1999
Date d'édition: 13/08/2008